

Health and health services

Contents

- 5.1 Chronic illness before the Gaza war
- 5.2 Type of chronic illness before the Gaza war
- 5.3 Needed medical care during the Gaza war
- 5.4 Received medical care during the Gaza war
- 5.5 Main reason for not receiving adequate care
- 5.6 Injured or acutely ill during the Gaza war
- 5.7 Sought medical care
- 5.8 Main reason for not seeking medical care
- 5.9 People consulted when injured or ill
- 5.10 Place of consultation took place
- 5.11 Sleeping problems in the past 7 days
- 5.12 Sleeping problems in the past 7 days by gender
- 5.13 Bed wetting problem in the past 7 days
- 5.14 Bed wetting problem in the past 7 days by gender and age
- 5.15 Problem of concentration in the past 7 days
- 5.16 Problem of concentration in the past 7 days by gender and age
- 5.17 Pregnant or gave birth in the past three months
- 5.18 Place of delivery
- 5.19 People who assisted during delivery
- 5.20 Prenatal/postnatal care received during the Gaza war
- 5.21 Main reason for not seeking for prenatal/ postnatal care
- 5.22 Place where the prenatal/ postnatal care took place

5.1 Chronic illness before the Gaza war

		Yes	No	Total	
				Total	Sample size
Total		11	89	100	13,228
Age	0-9	3	97	100	3,908
	10-19	4	96	100	3,577
	20-29	6	94	100	2,272
	30-39	13	87	100	1,330
	40-49	24	76	100	1,042
	50-59	43	57	100	572
	60+	61	39	100	527
Gender	Male	11	89	100	6,728
	Female	10	90	100	6,500
Refugee	Yes	11	89	100	8,881
	No	10	90	100	4,336
Highest completed education	Not completed any level	11	89	100	5,124
	Elementary	12	88	100	1,883
	Basic	9	91	100	2,394
	Secondary	12	88	100	2,186
	Higher education	11	89	100	1,174
Employed	Yes	13	87	100	1,410
	No	17	83	100	6,122

n=All household members

5.2 Type of chronic illness before the Gaza war

		Diabetes	Cardiovascular disease	Respiratory disease	Cancer	Physical disability	Sense organ disease (hearing/sight)	Diseases of the digestive or urinary system	Mental illness	Rheumatism	Congenital anomalies	Other	Total	
													Total	Sample size
Total		18	22	8	1	8	9	5	4	10	2	10	100	1,417
Age	0-14	2	6	15	1	14	23	3	12	3	11	10	100	200
	15-29	1	7	11	2	17	17	8	10	3	4	21	100	202
	30-44	11	20	10	1	9	9	10	5	10	1	14	100	292
	45-59	30	31	4	2	3	3	3	1	15	0	8	100	400
	60+	30	33	6	1	4	3	5	0	14	-	3	100	323
Gender	Male	16	18	10	1	10	12	6	4	8	2	12	100	737
	Female	21	27	7	1	6	6	4	4	13	2	9	100	680
Refugee	Yes	18	22	9	1	7	8	5	5	11	2	11	100	972
	No	18	23	6	2	9	12	6	2	10	2	9	100	445
Highest completed education	Not completed any level	16	18	8	1	11	14	5	9	10	3	7	100	548
	Elementary	19	26	11	-	6	8	5	1	11	3	11	100	236
	Basic	15	25	8	2	8	9	8	2	9	2	13	100	243
	Secondary	19	25	9	3	6	3	5	1	13	1	16	100	243
	Higher education	32	29	4	2	6	6	6	1	10	-	6	100	132
Employed	Yes	24	25	4	1	7	8	9	2	8	2	10	100	179
	No	20	25	8	2	7	7	5	3	12	1	10	100	1,038

n=All household members who suffered from chronic illness before the Gaza war

5.3 Needed medical care during the Gaza war

		Yes	No	Total	
				Total	Sample size
Total		66	34	100	1,418
Age	0-14	55	45	100	200
	15-29	54	46	100	203
	30-44	64	36	100	293
	45-59	71	29	100	400
	60+	74	26	100	322
Gender	Male	63	37	100	739
	Female	69	31	100	679
Refugee	Yes	65	35	100	973
	No	66	34	100	445
Highest completed education	Not completed any level	62	38	100	548
	Elementary	70	30	100	236
	Basic	67	33	100	243
	Secondary	69	31	100	243
	Higher education	67	33	100	133
Employed	Yes	65	35	100	179
	No	68	32	100	1,039

n=All household members who suffered from chronic illness before the Gaza war

5.4 Received medical care during the Gaza war

		Yes, adequately	Yes, but not adequately	No	Total	
					Total	Sample size
Total		53	27	20	100	891
Age	0-14	33	36	31	100	101
	15-29	47	25	28	100	102
	30-44	55	21	24	100	176
	45-59	61	24	15	100	282
	60+	55	31	14	100	230
Gender	Male	51	28	20	100	445
	Female	55	26	19	100	446
Refugee	Yes	53	30	17	100	606
	No	54	21	25	100	285
Highest completed education	Not completed any level	51	29	20	100	328
	Elementary	54	30	15	100	159
	Basic	44	27	29	100	155
	Secondary	59	24	17	100	155
	Higher education	63	20	16	100	87
Employed	Yes	57	21	22	100	109
	No	56	27	18	100	681

n=All household members who suffered from chronic illness and needed medical care during the Gaza war

5.5 Main reason for not receiving adequate care

		Could not afford treatment	No appropriate medical facilities nearby	Self-treatment with traditional methods (incl. herbs)	Self-treatment with modern medicines without consultation	Was too busy	Hospital/ clinic destroyed	Hospital/ clinic closed	No capacity: hospital/ clinic full of war victims	Could not reach, too dangerous to go to the hospital/ clinic	Other	Total	Sample size
Total		46	5	0	1	1	0	4	3	30	9	100	398
Age	0-14	62	3	-	3	-	-	5	1	15	11	100	65
	15-29	51	12	1	-	-	-	3	3	26	4	100	57
	30-44	36	4	-	2	3	-	5	5	31	14	100	81
	45-59	50	2	-	1	1	1	3	1	31	9	100	98
	60+	36	6	-	1	1	-	5	3	41	8	100	97
Gender	Male	49	3	-	1	1	0	4	4	29	8	100	206
	Female	43	7	0	1	1	0	4	2	31	11	100	192
Refugee	Yes	42	4	0	1	1	-	4	4	33	10	100	262
	No	54	6	-	1	1	1	4	-	24	8	100	136
Highest completed education	Not completed any level	47	7	-	2	1	-	4	1	27	11	100	153
	Elementary	57	-	1	1	-	-	3	4	26	7	100	69
	Basic	47	5	-	-	1	2	9	3	28	5	100	82
	Secondary	37	6	-	-	2	-	2	3	36	13	100	60
	Higher education	37	2	-	5	-	-	-	5	40	11	100	31
Employed	Yes	25	4	-	-	4	-	4	12	38	13	100	46
	No	45	5	0	1	1	0	4	2	33	9	100	287

n=All household members who suffered from chronic illness and did not receive adequate medical care during the Gaza war

5.6 Injured or acutely ill during the Gaza war

		Yes, injured	Yes, acute illness	Yes, severe health problem caused by distress	No	Total	
						Total	Sample size
Total		1	1	1	98	100	13,237
Age	0-9	0	1	1	98	100	3,909
	10-19	1	0	1	98	100	3,579
	20-29	1	0	1	98	100	2,275
	30-39	1	1	1	97	100	1,331
	40-49	1	2	1	96	100	1,042
	50-59	1	1	1	97	100	574
	60+	1	3	0	96	100	527
Gender	Male	1	1	1	98	100	6,732
	Female	1	1	1	98	100	6,505
Refugee	Yes	1	1	1	98	100	8,889
	No	1	0	1	98	100	4,337
Highest completed education	Not completed any level	1	1	1	97	100	5,126
	Elementary	1	1	1	97	100	1,884
	Basic	1	0	1	98	100	2,394
	Secondary	1	0	1	98	100	2,189
	Higher education	1	1	1	97	100	1,177
Employed	Yes	1	1	0	98	100	1,411
	No	1	1	1	97	100	6,128

n=All household members

5.7 Sought medical care

		Yes	No	Total	
				Total	Sample size
Total		66	34	100	294
Age	0-9	52	48	100	76
	10-19	60	40	100	73
	20-29	70	30	100	46
	30-39	75	25	100	34
	40-49	87	13	100	33
	50-59	70	30	100	15
	60+	77	23	100	17
Gender	Male	72	28	100	154
	Female	60	40	100	140
Refugee	Yes	67	33	100	188
	No	64	36	100	106
Highest completed education	Not completed any level	64	36	100	124
	Elementary	78	22	100	43
	Basic	63	37	100	54
	Secondary	49	51	100	35
	Higher education	83	17	100	26
Employed	Yes	91	9	100	25
	No	68	32	100	149

n=All household members acutely injured or ill during the Gaza war

5.8 Main reason for not seeking medical care

		Did not need care/treatment	Could not afford care/treatment	No appropriate medical facility	Self treatment with traditional methods	Self treatment with modern medicines without consultation	No capacity: hospital/clinic full of war victims	Could not reach, too dangerous to go to the hospital/clinic	Other	Total	
										Total	Sample size
Total		35	10	8	3	1	10	26	5	100	106
Age	0-14	31	5	15	6	-	7	30	7	100	56
	15-29	50	4	2	-	3	17	18	7	100	29
	30-44	38	12	6	-	-	-	44	-	100	10
	45-59	31	25	-	-	-	23	21	-	100	7
	60+	-	79	-	-	-	-	21	-	100	4
Gender	Male	36	11	13	1	2	9	21	7	100	45
	Female	35	10	5	4	-	11	30	4	100	61
Refugee	Yes	30	15	13	5	1	-	29	7	100	65
	No	43	4	1	-	-	27	22	3	100	41
Highest completed education	Not completed any level	36	9	10	4	-	8	25	8	100	50
	Elementary	9	24	11	-	7	17	33	-	100	11
	Basic	44	15	3	-	-	10	28	-	100	20
	Secondary	39	6	3	-	-	18	21	12	100	15
	Higher education	60	-	-	-	-	-	40	-	100	4
Employed	Yes	-	24	-	-	-	-	76	-	100	3
	No	42	16	2	-	2	14	20	4	100	47

n=All household members injured or ill during the Gaza war, but did not seek medical care

5.9 People consulted when injured or ill

		General practitioner	Specialist (doctor)	Nurse	Pharmacist	Traditional healer	Relative	Total	
								Total	Sample size
Total		35	51	2	10	2	0	100	184
Age	0-14	39	39	4	16	2	-	100	63
	15-29	32	56	1	8	2	-	100	44
	30-44	29	66	-	3	3	-	100	36
	45-59	28	59	-	11	-	3	100	28
	60+	62	38	-	-	-	-	100	13
Gender	Male	34	57	-	9	1	-	100	107
	Female	37	44	4	11	3	1	100	77
Refugee	Yes	36	48	1	13	2	1	100	122
	No	34	57	4	3	2	-	100	62
Highest completed education	Not completed any level	43	40	-	16	1	1	100	73
	Elementary	37	44	5	12	1	-	100	32
	Basic	27	68	2	-	3	-	100	34
	Secondary	36	51	-	13	-	-	100	17
	Higher education	19	77	-	-	4	-	100	22
Employed	Yes	25	62	-	9	4	-	100	22
	No	36	56	1	6	1	1	100	99

n=All household members injured or ill and sought medical care during the Gaza war

5.10 Place of consultation

		Public clinic	Public hospital	Private clinic	Private hospital	UNRWA clinic	UNRWA hospital	Pharmacy	At home	Total	
										Total	Sample size
Total		11	45	9	6	13	1	9	6	100	184
Age	0-14	17	28	3	14	14	-	15	8	100	63
	15-29	5	64	4	-	13	2	8	3	100	44
	30-44	12	44	19	4	10	-	3	7	100	36
	45-59	2	52	17	-	13	2	11	3	100	28
	60+	24	52	13	-	11	-	-	-	100	13
Gender	Male	9	52	10	5	11	1	9	4	100	107
	Female	14	37	9	7	15	1	10	7	100	77
Refugee	Yes	9	41	7	1	19	1	13	8	100	122
	No	15	52	13	14	1	-	3	2	100	62
Highest completed education	Not completed any level	12	35	5	13	13	-	14	8	100	73
	Elementary	16	45	8	-	16	1	12	1	100	32
	Basic	7	70	6	2	8	2	-	5	100	34
	Secondary	13	65	-	-	6	4	13	-	100	17
	Higher education	4	34	34	2	16	-	-	10	100	22
Employed	Yes	11	41	20	2	6	-	9	10	100	22
	No	8	58	10	1	14	2	6	2	100	99

n=All household members injured or ill and sought medical care during the Gaza war

5.11 Sleeping problems in the past 7 days

		Yes, a longstanding problem	Yes, since the Gaza war	No	Total	
					Total	Sample size
Total		3	10	88	100	13,230
Age	0-4	2	10	87	100	2,127
	5-9	3	13	84	100	1,781
	10-14	2	11	88	100	1,789
	15-19	2	7	91	100	1,789
	20-24	1	7	92	100	1,362
	25-29	2	10	87	100	909
	30-39	3	8	89	100	1,331
	40-49	3	9	88	100	1,041
	50-59	6	10	85	100	574
	60+	10	11	79	100	527
	Gender	Male	3	9	88	100
Female		2	10	87	100	6,501
Refugee	Yes	3	10	87	100	8,885
	No	2	9	88	100	4,334
Highest completed education	Not completed any level	3	11	86	100	5,125
	Elementary	3	10	87	100	1,882
	Basic	3	8	89	100	2,391
	Secondary	2	8	90	100	2,189
	Higher education	2	8	90	100	1,176
Employed	Yes	2	7	91	100	1,411
	No	3	9	88	100	6,122

n=All household members

5.12 Sleeping problems in the past 7 days by gender

				Yes, a long-standing problem	Yes, since the Gaza war	No	Total		
							Total	Sample size	
Total				3	10	88	100	13,230	
Gender	Male	Age	0-4	3	10	87	100	1,100	
			5-9	3	11	86	100	930	
			10-14	2	10	88	100	922	
			15-19	2	7	92	100	919	
			20-24	2	6	92	100	699	
			25-29	2	10	88	100	450	
			30-39	4	8	89	100	668	
			40-49	3	8	88	100	525	
			50-59	6	8	86	100	290	
			60+	11	11	78	100	226	
			Refugee	Yes	3	9	88	100	4,546
				No	3	9	88	100	2,176
			Highest completed education	Not completed any level	3	11	86	100	2,569
				Elementary	4	7	89	100	990
	Basic	3		8	89	100	1,183		
	Secondary	2		9	89	100	1,062		
	Employed	Higher education	2	7	91	100	677		
		Yes	2	7	91	100	1,231		
	Female	Age	No	4	8	88	100	2,546	
			0-4	2	10	87	100	1,027	
			5-9	2	15	82	100	851	
			10-14	1	11	87	100	867	
			15-19	1	8	91	100	870	
			20-24	1	8	92	100	663	
			25-29	2	10	87	100	459	
			30-39	2	9	89	100	663	
			40-49	3	10	87	100	516	
50-59			6	11	83	100	284		
60+			9	11	80	100	301		
Refugee			Yes	3	11	87	100	4,339	
			No	2	9	88	100	2,158	
Highest completed education	Not completed any level	3	11	86	100	2,556			
	Elementary	2	12	86	100	892			
	Basic	2	9	89	100	1,208			
	Secondary	2	7	91	100	1,127			
Employed	Higher education	2	10	88	100	499			
	Yes	-	9	91	100	180			
	No	3	9	88	100	3,576			

n=All household members

5.13 Bed wetting problem in the past 7 days

		Yes, a longstanding problem	Yes, since the Gaza war	No	Total	
					Total	Sample size
Total		7	15	77	100	3,556
Age	5-9	9	22	69	100	1,775
	10-14	6	9	85	100	1,781
Age	5	11	28	61	100	384
	6	9	23	68	100	361
	7	7	26	67	100	331
	8	8	17	75	100	378
	9	8	15	77	100	321
	10	5	13	81	100	340
	11	9	10	81	100	325
	12	5	7	88	100	359
	13	6	9	85	100	361
	14	4	5	91	100	396
Gender	Male	6	16	77	100	1,840
	Female	8	15	77	100	1,716
Refugee	Yes	6	15	78	100	2,390
	No	9	16	75	100	1,163

n=All household members 5-14 years old

5.14 Bed wetting problem in the past 7 days by gender and age

				Yes, a longstanding problem	Yes, since the Gaza war	No	Total			
							Total	Sample size		
Total				7	15	77	100	3,556		
Gender	Male	Age	5-9	7	22	71	100	925		
			10-14	6	10	84	100	915		
		Age	5	10	27	64	100	195		
			6	7	25	68	100	191		
			7	6	24	70	100	178		
			8	6	17	76	100	196		
			9	3	17	80	100	165		
			10	6	12	82	100	180		
			11	10	12	77	100	159		
		Age	12	5	9	86	100	182		
			13	7	12	80	100	189		
			14	4	5	91	100	205		
			Female	Age	5-9	11	22	67	100	850
					10-14	5	7	87	100	866
	Age			5	12	29	59	100	189	
				6	10	20	69	100	170	
		7		8	29	63	100	153		
		8		11	17	73	100	182		
		9		13	14	73	100	156		
		10	5	14	80	100	160			
		11	7	9	84	100	166			
Age	12	6	4	89	100	177				
	13	5	5	91	100	172				
	14	4	5	90	100	191				

n=All household members 5-14 years old

5.15 Problem of concentration in the past 7 days

		Yes, a longstanding problem	Yes, since the Gaza war	No	Total	
					Total	Sample size
Total		5	21	74	100	3,546
Age	5-9	5	23	72	100	1,771
	10-14	6	19	75	100	1,775
Age	5	3	21	76	100	383
	6	6	26	69	100	361
	7	4	28	68	100	330
	8	4	20	76	100	377
	9	6	22	73	100	320
	10	6	20	74	100	340
	11	8	21	71	100	323
	12	4	17	79	100	357
	13	6	17	77	100	360
	14	6	18	76	100	395
Gender	Male	6	22	72	100	1,837
	Female	4	20	76	100	1,709
Refugee	Yes	6	21	73	100	2,387
	No	4	21	75	100	1,156

n=All household members 5-14 years old

5.16 Problem of concentration in the past 7 days by gender and age

				Yes, a longstanding problem	Yes, since the Gaza war	No	Total		
							Total	Sample size	
Total				5	21	74	100	3,546	
Gender	Male	Age	5-9	5	23	72	100	924	
			10-14	8	20	72	100	913	
		Age	5	5	18	78	100	194	
			6	7	27	66	100	191	
			7	3	27	70	100	178	
			8	3	20	76	100	196	
			9	5	24	70	100	165	
			10	9	18	74	100	180	
			11	11	27	62	100	158	
		12	7	17	76	100	180		
		13	7	21	71	100	190		
		14	7	16	76	100	205		
		Female	Age	5-9	5	23	72	100	847
				10-14	3	18	79	100	862
	Age		5	2	24	74	100	189	
			6	4	24	72	100	170	
			7	6	28	66	100	152	
			8	5	20	75	100	181	
	9	6	19	75	100	155			
	10	2	23	75	100	160			
11	5	17	79	100	165				
12	1	17	82	100	177				
13	5	13	82	100	170				
14	4	21	75	100	190				

n=All household members 5-14 years old

5.17 Pregnant or gave birth in the past three months

		Yes, pregnant	Yes, gave birth before the Gaza war	Yes, gave birth during the Gaza war	Yes, gave birth after the Gaza war	No	Total	
							Total	Sample size
Total		14	2	2	3	79	100	1,852
Age	15-19	33	3	2	5	57	100	119
	20-24	23	4	7	8	58	100	362
	25-29	16	1	1	4	78	100	359
	30-39	12	3	1	2	82	100	565
	40-49	1	1	-	0	98	100	447
Refugee	Yes	13	2	2	3	80	100	1,254
	No	15	2	3	3	77	100	596
Highest completed education	Not completed any level	11	1	-	2	87	100	138
	Elementary	8	1	3	1	87	100	227
	Basic	16	2	3	2	77	100	539
	Secondary	14	3	1	5	77	100	630
	Higher education	15	3	2	3	77	100	316
Employed	Yes	16	3	1	4	76	100	106
	No	14	2	2	3	79	100	1,746

n=All married female household members aged 15-49

5.18 Place of delivery

		Public clinic	Public hospital	Private clinic	Private hospital	NGO clinic	NGO hospital	UNRWA facility	At home	Total	
										Total	Sample size
Total		3	75	7	13	0	0	1	1	100	141
Age	15-24	1	69	11	17	-	-	1	1	100	78
	25-34	7	82	2	6	1	1	-	-	100	49
	35-49	-	90	-	10	-	-	-	-	100	14
Refugee	Yes	4	73	4	16	-	1	1	1	100	85
	No	1	79	13	6	1	-	-	-	100	56
Highest completed education	Not completed any level	-	69	-	31	-	-	-	-	100	3
	Elementary	5	58	15	22	-	-	-	-	100	14
	Basic	2	88	7	1	-	-	-	3	100	39
	Secondary	1	75	3	18	-	1	1	-	100	59
	Higher education	8	65	14	11	2	-	-	-	100	26
Employed	Yes	24	66	10	-	-	-	-	-	100	7
	No	2	76	7	14	0	0	1	1	100	134
Pregnant/ gave birth in the past three months	Yes, gave birth before the Gaza war	8	83	5	2	-	-	2	-	100	44
	Yes, gave birth during the Gaza war	2	70	12	12	2	-	-	3	100	39
	Yes, gave birth after the Gaza war	-	73	6	21	-	1	-	-	100	58

n=All married female household members aged 15-49 who gave birth in the past three months

5.19 People who assisted during delivery

		Doctor	Nurse/mid wife	Auxiliary midwife	No one	Total	
						Total	Sample size
Total		84	14	1	1	100	141
Age	15-24	82	18	-	-	100	78
	25-34	88	10	2	-	100	49
	35-49	83	10	-	8	100	14
Refugee	Yes	84	14	1	1	100	85
	No	84	16	-	-	100	56
Highest completed education	Not completed any level	67	-	33	-	100	3
	Elementary	84	16	-	-	100	14
	Basic	85	12	-	3	100	39
	Secondary	80	20	-	-	100	59
	Higher education	93	7	-	-	100	26
Employed	Yes	100	-	-	-	100	7
	No	83	15	1	1	100	134
Pregnant/ gave birth in the past three months	Yes, gave birth before the Gaza war	89	6	3	2	100	44
	Yes, gave birth during the Gaza war	89	11	-	-	100	39
	Yes, gave birth after the Gaza war	79	21	-	-	100	58

n=All married female household members aged 15-49 who gave birth in the past three months

5.20 Prenatal/ postnatal care received during the Gaza war

		Yes	No	Total	
				Total	Sample size
Total		62	38	100	399
Age	15-24	64	36	100	205
	25-34	63	37	100	155
	35-49	52	48	100	39
Refugee	Yes	65	35	100	260
	No	57	43	100	139
Highest completed education	Not completed any level	71	29	100	18
	Elementary	61	39	100	34
	Basic	54	46	100	120
	Secondary	66	34	100	148
	Higher education	65	35	100	79
Employed	Yes	63	37	100	23
	No	62	38	100	376
Pregnant/ gave birth in the past three months	Yes, pregnant	57	43	100	255
	Yes, gave birth before the Gaza war	61	39	100	45
	Yes, gave birth during the Gaza war	62	38	100	39
	Yes, gave birth after the Gaza war	84	16	100	60

n=All female household members aged 15-49 who were pregnant or gave birth in the past three months

5.21 Main reason for not seeking prenatal/ postnatal care

		Did not need care/ treatment	Could not afford care/ treatment	No appropriate medical facilities nearby	Self-treatment-with traditional methods (incl. herbs)	Was too busy	Hospital/ clinic destroyed due to the attack	Hospital/ clinic not operating	No capacity: hospital/ clinic full of war victims	Could not reach, too dangerous to go to the hospital/ clinic	Other	Total	
												Total	Sample size
Total		43	7	2	0	3	1	5	2	33	4	100	161
Age	15-24	42	9	2	1	-	-	3	2	35	7	100	84
	25-34	45	5	4	-	5	1	7	1	31	-	100	60
	35-49	44	6	-	-	6	-	4	4	35	-	100	17
Refugee	Yes	37	3	2	1	4	1	6	3	39	3	100	103
	No	52	13	2	-	-	-	2	1	24	5	100	58
Highest completed education	Not completed any level	59	-	-	-	-	-	-	-	41	-	100	5
	Elementary	39	-	-	6	-	-	-	8	48	-	100	12
	Basic	40	9	4	-	6	-	5	4	26	7	100	58
	Secondary	39	10	1	-	1	-	5	-	43	-	100	58
	Higher education	57	3	2	-	-	3	6	-	23	7	100	28
Employed	Yes	56	-	-	-	-	8	-	-	36	-	100	8
	No	42	8	3	0	3	-	5	2	33	4	100	153
Pregnant/ gave birth in the past three months	Yes, pregnant	37	5	2	1	4	-	6	2	39	5	100	115
	Yes, gave birth before the Gaza war	60	22	-	-	-	5	5	-	8	-	100	20
	Yes, gave birth during the Gaza war	66	4	-	-	-	-	-	-	30	-	100	14
	Yes, gave birth after the Gaza war	56	6	15	-	-	-	-	5	18	-	100	12

n=All female household members, who were pregnant or gave birth in the past three months, and did not receive prenatal/postnatal care during the Gaza war

5.22 Place where prenatal/ postnatal care took place

		Public clinic	Public hospital	Private clinic	Private hospital	NGO clinic	UNRWA clinic	UNRWA hospital	Pharmacy	At home	Total	
											Total	Sample size
Total		26	14	15	4	1	37	0	0	3	100	235
Age	15-24	21	17	17	5	-	38	-	-	2	100	120
	25-34	31	10	14	3	3	37	1	-	1	100	93
	35-49	33	16	11	-	-	24	-	3	13	100	22
Refugee	Yes	20	11	14	3	1	48	1	0	3	100	156
	No	40	21	17	6	3	12	-	-	2	100	79
Highest completed education	Not completed any level	22	21	-	-	12	37	-	-	9	100	13
	Elementary	19	-	7	-	3	65	6	-	-	100	21
	Basic	25	14	21	3	1	33	-	-	2	100	62
	Secondary	33	15	9	4	-	35	-	-	4	100	89
	Higher education	17	16	27	5	-	35	-	1	-	100	50
Employed	Yes	24	19	14	3	-	37	-	3	-	100	15
	No	26	14	15	4	1	37	0	-	3	100	220
Pregnant/ gave birth in the past three months	Yes, pregnant	28	15	16	3	2	33	1	0	2	100	138
	Yes, gave birth before the Gaza war	22	12	11	-	-	48	-	-	7	100	24
	Yes, gave birth during the Gaza war	28	9	15	-	-	43	-	-	6	100	25
	Yes, gave birth after the Gaza war	21	14	16	8	-	39	-	-	1	100	48

n=All female household members who were pregnant or gave birth in the past three months and received prenatal/postnatal care during the Gaza war